

4" SAWN EDGING HARVEST GOLD

SPECIFICATIONS

LENGTH	8" – 24" Random
HEIGHT	4" Sawn
DEPTH	3½" - 4½" Random
YIELD	90 – 110 linear ft. per ton
CONTENT	Quartzitic Sandstone
ORIGIN	North America



Blending seamlessly with our other Natural Stone Hardscapes, Kafka Granite's Sawn Edging is available in four natural stone colors. Sawn to consistent 4" heights, the product marries a convenient installation with the sophistication of natural stone. Kafka's Sawn Edging adds a thoughtful and impressive detail to any landscape project.

ASTM C-97 – ABSORPTION & BULK SPECIFIC GRAVITY

WATER ABSORPTION	.78%
BULK SPECIFIC GRAVITY	2.489

ASTM C-170 – COMPRESSIVE STRENGTH

PARALLEL TO RIFT DRY	31,890 psi
PARALLEL TO RIFT, WET	20,950 psi
PERPENDICULAR TO RIFT, DRY	30,860 psi
PERPENDICULAR TO RIFT, WET	29,970 psi

ASTM C-99 – MODULUS OF RUPTURE

PARALLEL TO RIFT DRY	2,000 psi
PARALLEL TO RIFT, WET	1,980 psi
PERPENDICULAR TO RIFT, DRY	1,910 psi
PERPENDICULAR TO RIFT, WET	1,520 psi

ASTM C-880 – FLEXURAL STRENGTH

PARALLEL TO RIFT DRY	2,160 psi
PARALLEL TO RIFT, WET	1,820 psi
PERPENDICULAR TO RIFT, DRY	1,760 psi
PERPENDICULAR TO RIFT, WET	1,690 psi

